CONSIDE	RATIONS:	(1) QU	ANTITY		(2) CONDITION			
ASPECTS/ PROBLEMS PRACTICE		AIRBORNE ODORS	FUNGI, MOLDS, POLLEN	AIR TEMPERATURE	AIR MOVEMENT	HUMIDITY		
TYPE OF PRACTICE PRACTICE CODE AND NAME	RESOURCE PROBLEM/ CONSIDERATIONS DEFINITION OTHER EXPLANATIONS	such sources as waste,		development of flora and	Improper air movement for flora and fauna. Zone of influence from ground level to 10 times plant height.	Improper level of humidity for flora and fauna health.		
800 - Urban Stormwater Wetlands	growing conditions for wetland plants to lessen the impacts of stormwater quality and quantity in urban areas.			Slight to moderate decrease in summer because of increased evaporation and transpiration.	Slight to moderate decrease because of increased hydrophytic vegetation.	Moderate increase because of increased evaporation and transpiration.		
806 - Construction Road Stabilization	The stabilization of temporary construction access routes, subdivision roads, on-site vehicle transportation roads, and construction parking areas with stone immediately after grading.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.		
808 - Culvert Inlet Protection	A temporary sediment filter located at the inlet to storm sewer culverts.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.		
815 - Diversion	A channel and supporting ridge constructed across the slope to collect and divert runoff.	Not applicable.	Not applicable.	Not applicable.	Negligible.	Not applicable.		
820 - Diversion Dike	A dike or dike and channel constructed along the perimeter of a disturbed construction area.	Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.		

CONSIDE	RATIONS:	(1) QUA	ANTITY		(2) CONDITION			
ASPECTS/ PROBLEMS PRACTICE		AIRBORNE ODORS	FUNGI, MOLDS, POLLEN	AIR TEMPERATURE	AIR MOVEMENT	HUMIDITY		
TYPE OF PRACTICE PRACTICE CODE AND NAME	RESOURCE PROBLEM/ CONSIDERATIONS DEFINITION	such sources as waste,		development of flora and fauna. Zone of influence from ground level to 10	Improper air movement for flora and fauna. Zone of influence from ground level to 10 times plant height.	Improper level of humidity for flora and fauna health.		
825 - Dust Control		Negligible to significant increase depending on the type, extent and frequency of materials applied.		Not applicable.	Negligible.	Negligible.		
830 - Erosion Blanket	The application of a preformed protective blanket of straw or other plant residue, or plastic fibers formed into a mat, usually with a plastic mesh on one or both sides.		Not applicable.	Not applicable.	Negligible.	Negligible.		
835 - Filter Strip	A created or preserved area of vegetation designed to remove sediment and other pollutants and to enhance the infiltration of surface water runoff.		increase in problem	of the effects of vegetative	Slight decrease because of the effects of vegetative cover.	Slight decrease because of the effects of vegetative cover.		
840 - Grass-Lined Channel	A natural or constructed channel that is shaped or graded to required dimensions and established with suitable vegetation for stable conveyance of runoff.		Slight increase because of permitting plants to mature.	Not applicable.	Negligible.	Negligible.		
841 - Impoundment Structure-Full Flow	A dam or excavation which creates an impoundment to collect and store debris, sediment, or water.		Negligible.	Not applicable.	Not applicable.	Not applicable.		

CONSIDE	RATIONS:	(1) QU	ANTITY		(2) CONDITION			
ASPECTS/ PROBLEMS PRACTICE		AIRBORNE ODORS	FUNGI, MOLDS, POLLEN	AIR TEMPERATURE	AIR MOVEMENT	HUMIDITY		
TYPE OF PRACTICE PRACTICE CODE AND NAME	DEFINITION	such sources as waste,		development of flora and	Improper air movement for flora and fauna. Zone of influence from ground level to 10 times plant height.	Improper level of humidity for flora and fauna health.		
842 - Impoundment Structure-Routed	A dam or excavation which creates an impoundment to collect and store debris, sediment, or water.	Negligible.	Negligible.	Not applicable.	Not applicable.	Not applicable.		
847 - Infiltration Trench		Negligible to slight increase due to temporary ponding of runoff.	Negligible.	Not applicable.	Not applicable.	Not applicable.		
850 - Inlet Protection- Block and Gravel	A sediment control barrier formed around a storm drain inlet by the use of standard concrete blocks and gravel.	Not applicable.	Negligible.	Not applicable.	Not applicable.	Not applicable.		
855 - Inlet Protection- Excavated Drain	approach to a storm drain	Negligible to slight increase due to temporary ponding of runoff.	Negligible.	Not applicable.	Not applicable.	Not applicable.		
860 - Inlet Protection- Fabric Drop	A temporary fabric barrier placed around a drop inlet.	Negligible to slight increase due to temporary ponding of runoff.	Negligible.	Not applicable.	Not applicable.	Not applicable.		

CONSIDE	ERATIONS:	(1) QU	ANTITY		(2) CONDITION			
ASPECTS/ PROBLEMS PRACTICE		AIRBORNE ODORS	FUNGI, MOLDS, POLLEN	AIR TEMPERATURE	AIR MOVEMENT	HUMIDITY		
TYPE OF PRACTICE PRACTICE CODE AND NAME	DEFINITION	such sources as waste,		development of flora and	Improper air movement for flora and fauna. Zone of influence from ground level to 10 times plant height.	Improper level of humidity for flora and fauna health.		
861 - Inlet Protection- Gravel & Wire Mesh	A temporary sediment control barrier formed around a storm drain inlet by the use of gravel and wire mesh.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.		
862 - Inlet Protection-Sod Filter	A sediment filter formed around a storm drain drop inlet by the use of sod.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.		
863 - Inlet Protection- Straw Bale Barrier	A temporary sediment control barrier formed around a storm drain drop inlet consisting of a row of entrenched and anchored straw bales.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.		
865 - Land Grading	Reshaping the ground surface to planned grades as determined by engineering survey evaluation and layout.		Negligible to slight decrease due to less ponding to form moist areas for molds.	Not applicable.	Not applicable.	Not applicable.		
870 - Level Spreader	A device used to disperse concentrated runoff over the ground surface as sheet flow.	Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.		

CONSIDE	RATIONS:	(1) QU	ANTITY		(2) CONDITION			
ASPECTS/ PROBLEMS PRACTICE		AIRBORNE ODORS	FUNGI, MOLDS, POLLEN	AIR TEMPERATURE	AIR MOVEMENT	HUMIDITY		
TYPE OF PRACTICE PRACTICE CODE AND NAME	RESOURCE PROBLEM/ CONSIDERATIONS DEFINITION OTHER EXPLANATIONS	Objectionable odors from such sources as waste, storage areas, waste lagoons, and other organics.		development of flora and	Improper air movement for flora and fauna. Zone of influence from ground level to 10 times plant height.	Improper level of humidity for flora and fauna health.		
875 - Mulching	The application of plant residues and other suitable materials to the soil surface.	Negligible.	increase because of	Slight to moderate decrease because of surface cover.	Negligible.	Negligible.		
880 - Permanent Vegetation	Establishing permanent vegetative cover to stabilize disturbed or exposed areas.	Not applicable.		Slight decrease because of vegetative cover effects on temperature extremes.	Negligible.	Moderate increase at ground level. Slight increase above plants.		
890 - Permeable Pavement	A pavement consisting of materials having regularly interspersed void areas filled with pervious materials, such as vegetated soil, gravel or sand.	Not applicable.	Negligible.	Negligible.	Negligible.	Negligible.		
Tank	A compartmented container through which sediment-laden water is pumped to trap and retain the sediment.	Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.		
	A ridge or ridge and channel constructed diagonally across a sloping road or utility right- of-way that is subject to erosion.	Not applicable.	Not applicable.	Not applicable.	Negligible.	Not applicable.		

CONSIDE	RATIONS:	(1) QU	ANTITY		(2) CONDITION			
ASPECTS/ PROBLEMS PRACTICE		AIRBORNE ODORS	FUNGI, MOLDS, POLLEN	AIR TEMPERATURE	AIR MOVEMENT	HUMIDITY		
TYPE OF PRACTICE PRACTICE CODE AND NAME	RESOURCE PROBLEM/ CONSIDERATIONS DEFINITION	such sources as waste,			Improper air movement for flora and fauna. Zone of influence from ground level to 10 times plant height.	Improper level of humidity for flora and fauna health.		
905 - Rock Check Dam	A small rock dam constructed across a grassed swale or road ditch.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.		
910 - Rock Outlet Protection	A section of rock protection placed at the outlet end of culverts, conduits, or channels.	Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.		
920 - Silt Fence	A temporary barrier of entrenched geotextile fabric stretched across and attached to supporting posts used to intercept sediment-laden runoff from small drainage areas of disturbed soil.		Not applicable.	Not applicable.	Not applicable.	Not applicable.		
925 - Sodding	Stabilization of fine graded disturbed areas by laying a continuous cover of grass sod.	Not applicable.		Slight decrease because of vegetative cover effects on temperature extremes.	Negligible.	Moderate increase at ground level. Slight increase above plants.		
930 - Stabilized Construction Entrance	A stabilized pad of aggregate underlain with filter fabric at any point where traffic enters or leaves a construction site to or from a public right-of- way, street, alley or parking area.		Not applicable.	Not applicable.	Not applicable.	Not applicable.		

CONSIDE	RATIONS:	(1) QU	ANTITY		(2) CONDITION			
ASPECTS/ PROBLEMS PRACTICE		AIRBORNE ODORS	FUNGI, MOLDS, POLLEN	AIR TEMPERATURE	AIR MOVEMENT	HUMIDITY		
TYPE OF PRACTICE PRACTICE CODE AND NAME	RESOURCE PROBLEM/ CONSIDERATIONS DEFINITION OTHER EXPLANATIONS	such sources as waste,		development of flora and	Improper air movement for flora and fauna. Zone of influence from ground level to 10 times plant height.	Improper level of humidity for flora and fauna health.		
940 - Structural Streambank Stabilization	Stabilization of eroding streambanks by use of designed structural measures.	Not applicable.	Negligible.	Not applicable.	Not applicable.	Not applicable.		
945 - Subsurface Drain	A conduit, such as corrugated plastic tubing, tile, or pipe, installed beneath the ground surface to collect and/or convey drainage water.	Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.		
950 - Sump Pit	constructed to trap and	increase due to temporary		Not applicable.	Not applicable.	Not applicable.		
953 - Surface Roughening	A rough soil surface with horizontal grooves running across the slope on the contour, stair stepping, or tracking with construction equipment.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.		
954 - Temporary Concrete Washout Facility	Temporary area to manage wastes from concrete usage	Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.		

CONSIDE	RATIONS:	(1) QU	ANTITY		(2) CONDITION			
ASPECTS/ PROBLEMS PRACTICE		AIRBORNE ODORS	FUNGI, MOLDS, POLLEN	AIR TEMPERATURE	AIR MOVEMENT	HUMIDITY		
TYPE OF PRACTICE PRACTICE CODE AND NAME	RESOURCE PROBLEM/ CONSIDERATIONS DEFINITION OTHER EXPLANATIONS			development of flora and fauna. Zone of influence from ground level to 10	Improper air movement for flora and fauna. Zone of influence from ground level to 10 times plant height.	Improper level of humidity for flora and fauna health.		
	A temporary ridge or excavated channel or combination ridge and channel constructed across sloping land on a predetermined grade.	Not applicable.	Not applicable.	Not applicable.	Negligible.	Not applicable.		
Тгар	A small temporary ponding basin formed by construction of an embankment or excavated basin.	Negligible to slight increase depending on amount and kind of debris and other material trapped.		Not applicable.	Not applicable.	Negligible.		
	Planting rapid-growing annual grasses or small grains to provide initial, temporary coverage for erosion control on disturbed areas.	Not applicable.		Slight decrease because of vegetative cover effects on temperature extremes.	Negligible.	Moderate increase at ground level. Slight increase above plants.		
Drain	A flexible tubing or rigid conduit extending temporarily from the top to the bottom of a cut or fill slope.	Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.		
Crossing	A bridge, ford, or temporary structure installed across a stream or watercourse for short- term use by construction vehicles or heavy equipment.	Not applicable.	Not applicable.	Not applicable.	Not applicable.	Not applicable.		

CONSIDE	RATIONS:	(1) QU	ANTITY		(2) CONDITION			
ASPECTS/ PROBLEMS PRACTICE		AIRBORNE ODORS	FUNGI, MOLDS, POLLEN	AIR TEMPERATURE	AIR MOVEMENT	HUMIDITY		
TYPE OF PRACTICE PRACTICE CODE AND NAME	RESOURCE PROBLEM/ CONSIDERATIONS DEFINITION	such sources as waste,			Improper air movement for flora and fauna. Zone of influence from ground level to 10 times plant height.	Improper level of humidity for flora and fauna health.		
980 - Temporary Swale	A temporary excavated drainageway.		Slight increase due to permitting plants to mature.	Not applicable.	Negligible.	Not applicable.		
981 - Topsoiling	Methods of preserving and using topsoil to enhance final site stabilization with vegetation.		Slight to significant decrease because of surface cover.	Negligible.	Negligible.	Negligible.		
984 - Tree and Forest Ecosystem Preservation	The preservation of contiguous stands of trees from damage during construction operations.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.		
985 - Tree and Shrub Planting	Planting of selected trees and shrubs.			Slight to moderate decrease because of absorption of solar radiation and increased transpiration.	Moderate decrease because of increased vegetative cover and obstruction of surface wind patterns.	Slight to moderate increase because of increased transpiration.		
990 - Tree Protection	The protection of individual trees from damage during construction operations.			Slight to moderate decrease because of absorption of solar radiation and increased transpiration.	Moderate decrease because of increased vegetative cover and obstruction of surface wind patterns.	Slight to moderate increase because of increased transpiration.		

RESOURCE: AIR

CONSIDE	RATIONS:	(1) QU	ANTITY		(2) CONDITION			
ASPECTS/ PROBLEMS PRACTICE		AIRBORNE ODORS	FUNGI, MOLDS, POLLEN	AIR TEMPERATURE	AIR MOVEMENT	HUMIDITY		
TYPE OF PRACTICE PRACTICE CODE AND NAME	RESOURCE PROBLEM/ CONSIDERATIONS DEFINITION OTHER EXPLANATIONS	such sources as waste,	Production and release of fungi, molds, and pollen by components of a practice.	development of flora and	Improper air movement for flora and fauna. Zone of influence from ground level to 10 times plant height.	Improper level of humidity for flora and fauna health.		
991 - Tree Protection - Augering	Underground construction such as utility work by augering (tunneling) through an individual tree's Critical Root Zone (CRZ).		Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.		
995 - Vegetative Streambank Stabilization	The stabilization and protection of eroding streambanks with selected vegetation.		Negligible.	Not applicable.	Not applicable.	Not applicable.		
996 - Well Decommissioning	The sealing and permanent closure of a water well, boring, or monitoring well.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.	Not determined yet.		